




## TOOTH DECAY RISK FACTOR



### RECEDING GUMLINE

with exposure of root surfaces.



### ORTHODONTIC TREATMENT

increases the number of sites where plaque can accumulate.



### RESTORATIONS

might harbor bacteria at their margin, putting them at risk for recurrent decay.



### PERIODONTAL TREATMENT

might leave dentin exposed with an increased risk of dentin hypersensitivity and root caries.



### ACID EROSION

might expose dentin, leading to hypersensitivity.



### A DRY MOUTH

can increase your risk of decay.

Name: \_\_\_\_\_ Date: \_\_\_\_\_

Because of one or more of these risk factors your teeth are more vulnerable to tooth decay and cavities. To help protect against further decay, eating a healthy diet and brushing/flossing is recommended. Brushing with prescription level fluoride toothpaste daily helps strengthen tooth enamel to protect against the effects of decay causing acids. Using Colgate® PreviDent® 5000ppm as prescribed could benefit your oral health by:




- Fewer areas of decay
- Stronger teeth
- Fewer cavities, reduced fillings

**You have been prescribed Colgate PreviDent 5000ppm\* liquid gels:**

**Colgate®**  
PreviDent® 5000<sup>ppm</sup>  
**BOOSTER PLUS** Rx ONLY  
1.1% Sodium Fluoride  
Prescription Strength Toothpaste



**Colgate®**  
PreviDent® 5000<sup>ppm</sup>  
**DRY MOUTH** Rx ONLY  
1.1% Sodium Fluoride  
Prescription Strength Toothpaste



**Colgate®**  
PreviDent® 5000<sup>ppm</sup>  
**SENSITIVE** Rx ONLY  
1.1% Sodium Fluoride and 5% Potassium Nitrate  
Prescription Strength Toothpaste  
for Sensitive Teeth



**Colgate®**  
PreviDent® 5000<sup>ppm</sup>  
**ENAMEL PROTECT** Rx ONLY  
1.1% Sodium Fluoride and 5% Potassium Nitrate  
Prescription Strength Toothpaste  
for Sensitive Teeth



Usage instructions:

1. Apply a thin ribbon of Colgate® PreviDent® 5000ppm Booster Plus or Colgate® PreviDent® 5000ppm Dry Mouth to a toothbrush.
2. Brush thoroughly once daily for 2 minutes, preferably at bedtime in place of your regular toothpaste.
3. After brushing, spit out what remains.
4. For pediatric patients, ages 6-16 years, rinse thoroughly.

Usage instructions:

1. Apply a thin ribbon of Colgate® PreviDent® 5000ppm Sensitive or Colgate® PreviDent® 5000ppm Enamel Protect to a toothbrush.
2. Brush thoroughly twice a day (morning and evening) including sensitive areas of the teeth for 2 minutes or as recommended by a dentist or physician.
3. After brushing, spit out what remains.
4. Rinse mouth thoroughly.

For best results, do not eat or drink for 30 minutes post use.

\*Brand of High Fluoride Products




## TOOTH DECAY RISK FACTOR



### RECEDING GUMLINE

with exposure of root surfaces.



### ORTHODONTIC TREATMENT

increases the number of sites where plaque can accumulate.



### RESTORATIONS

might harbor bacteria at their margin, putting them at risk for recurrent decay.



### PERIODONTAL TREATMENT

might leave dentin exposed with an increased risk of dentin hypersensitivity and root caries.



### ACID EROSION

might expose dentin, leading to hypersensitivity.



### A DRY MOUTH

can increase your risk of decay.

Name: \_\_\_\_\_ Date: \_\_\_\_\_

Because of one or more of these risk factors your teeth are more vulnerable to tooth decay and cavities. To help protect against further decay, eating a healthy diet and brushing/flossing is recommended. Brushing with prescription level fluoride toothpaste daily helps strengthen tooth enamel to protect against the effects of decay causing acids. Using Colgate® PreviDent® 5000ppm as prescribed could benefit your oral health by:



- Fewer areas of decay
- Stronger teeth
- Fewer cavities, reduced fillings

You have been prescribed Colgate PreviDent 5000ppm\* liquid gels:

**Colgate®**  
PreviDent® 5000<sup>ppm</sup>  
**BOOSTER PLUS** Rx ONLY  
1.1% Sodium Fluoride  
Prescription Strength Toothpaste



**Colgate®**  
PreviDent® 5000<sup>ppm</sup>  
**DRY MOUTH** Rx ONLY  
1.1% Sodium Fluoride  
Prescription Strength Toothpaste



**Colgate®**  
PreviDent® 5000<sup>ppm</sup>  
**SENSITIVE** Rx ONLY  
1.1% Sodium Fluoride and 5% Potassium Nitrate  
Prescription Strength Toothpaste  
for Sensitive Teeth



**Colgate®**  
PreviDent® 5000<sup>ppm</sup>  
**ENAMEL PROTECT** Rx ONLY  
1.1% Sodium Fluoride and 5% Potassium Nitrate  
Prescription Strength Toothpaste  
for Sensitive Teeth



Usage instructions:

1. Apply a thin ribbon of Colgate® PreviDent® 5000ppm Booster Plus or Colgate® PreviDent® 5000ppm Dry Mouth to a toothbrush.
2. Brush thoroughly once daily for 2 minutes, preferably at bedtime in place of your regular toothpaste.
3. After brushing, spit out what remains.
4. For pediatric patients, ages 6-16 years, rinse thoroughly.

Usage instructions:

1. Apply a thin ribbon of Colgate® PreviDent® 5000ppm Sensitive or Colgate® PreviDent® 5000ppm Enamel Protect to a toothbrush.
2. Brush thoroughly twice a day (morning and evening) including sensitive areas of the teeth for 2 minutes or as recommended by a dentist or physician.
3. After brushing, spit out what remains.
4. Rinse mouth thoroughly.

For best results, do not eat or drink for 30 minutes post use.

\*Brand of High Fluoride Products